	<u> </u>	
Notice of Allowability	Application No.	Applicant(s)
	10/070,409	ESKELINEN ET AL.
	Examiner	Art Unit
	Peter Chin	1731
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>amendment filed 2/10</u>	0/2005.	
2. The allowed claim(s) is/are <u>13-24</u> .		
3. \boxtimes The drawings filed on <u>07 March 2002</u> are accepted by the	Examiner.	
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF attion is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi he header according to 37 CFR 1.121(ngs in the front (not the back) of d).
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Da 98), 7. ☑ Examiner's Amendr	tè .´

Art Unit: 1731

EXAMINER'S AMENDMENT

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Christopher Fildes on April 29, 2005.

The application has been amended as follows:

Claim 13, line 5, delete " on its surface" and substitute: -- on a surface of said one of the blade and doctor blade - -.

The following is an examiner's statement of reasons for allowance: The presently 1. claimed invention defines over that claimed in Sovijarvi (6,830,659) on the basis of the sensor being installed in or on the surface of the doctor blade holder or the doctor blade. Thus, there is no issue of obvious type double patenting.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter Chin whose telephone number is (571) 272-1186. The examiner can normally be reached on Monday through Friday.



Application/Control Number: 10/070,409 Page 3

Art Unit: 1731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Peter Chin Primary Examiner Art Unit 1731

STEVEN P. GRIFFIN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700